



SYMBOL	REVISION	DRAWN	APPROV
A	CHG'D PINS 3 & 4 FOR CURRENT SENSOR ON -2	TH	TH
B	PINS 3 AND 4 WERE REVERSED	TH	8/23/00
C	CHG'D APPEARANCE OF BASE PLATE TO AGREE W/ DETAIL	TH	1/27/00
D	INTERNAL REVISIONS PER 203-100 REV D	TH	2/9/01
E	ADD SET POINT ALLOWED ON E REV UNITS PER MP203	TH	10/21/04

TERMINAL FUNCTIONS (-2);
(STANDBY CONTROLLER)

1. BUS SENSE
2. STBY ALT ON ANNUNCIATOR
3. CURRENT SENSOR ANALOG (OPTIONAL)
4. CURRENT SENSOR +10 VOLTS (OPTIONAL)
5. FIELD
6. BUS SUPPLY
7. GROUND

TERMINAL FUNCTIONS (-1);
(PRIMARY CONTROLLER)

1. BUS SENSE
2. LOW VOLTAGE WARNING LIGHT (OPTIONAL)
3. TEMPERATURE PROBE - WHITE WIRE (OPTIONAL)
4. TEMPERATURE PROBE - YELLOW WIRE (OPTIONAL)
5. FIELD
6. BUS SUPPLY
7. GROUND

NOTE:

1. ALL DIMENSIONS ARE FOR REFERENCE ONLY.

	1		203-100-02	FINAL ASS'Y, 28 VOLT STANDBY ALT. CONTROLLER	
	1		203-100-01	FINAL ASS'Y, 28 VOLT PRIMARY ALT. CONTROLLER	
	-2-				
USED ON	PART NO.			DESCRIPTION	
UNLESS OTHERWISE SPECIFIED			B & C Specialty Products P.O. Box B, Newton, Kansas 67114		
DIMENSIONS ARE IN INCHES TOLERANCES ARE: DECIMAL 0.1XX = ± 0.03 DECIMAL 0.1XX = ± 0.03 ANGLES = ± 0.5 DEGREES			TITLE ENVELOPE DRAWING CONTROLLER, 28 VOLT		
ENGINEER	TH	DATE	8/13/98	DRAWING NO.	BC203
DRAWN	TH	DATE	8/12/97	REVISION	E
CHECKED	TH	DATE	8/13/98	DATE	10/21/04
PROJECT		SCALE	NONE	JOB NO.	PAGE 1 OF 1